L Number	Hite	Search Text	l DB	Time stamp
T Marmer	1882		USPAT;	2003/03/27 12:12
	1002	fabric)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	225		USPAT;	2003/03/27 12:11
		switch fabric)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	3.53	((TEEE noon) #1204#) and (bridge hub	USPAT;	2003/03/27 17:14
-	161	((IEEE near3 "1394") and (bridge hub switch fabric)) and (bus near3 (ID or	US-PGPUB;	2000,00,2, 1,.14
		identifier or identification))	EPO; JPO;	
		identified of identification,	DERWENT;	
			IBM TDB	
_	10	(((IEEE near3 "1394") and (bridge hub	USPAT;	2003/03/27 17:24
		switch fabric)) and (bus near3 (ID or	US-PGPUB;	
}		identifier or identification))) and	EPO; JPO;	
1		((aquir\$3 receiv\$3 retreiv\$3) with (bus	DERWENT;	
		adj (ID identification)))	IBM_TDB	0000/00/05
-	9		USPAT	2003/03/27 17:21
		"5432907"   "5519858"   "5923673"		
	_	"5978854"   "5983269"   "6131119").PN.	HCDAM.	2003/03/27 17:24
-	0	hattig-myron.in.	USPAT;	2003/03/27 17:24
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	hattig-myron-p.in.	USPAT:	2003/03/27 17:25
-	1	naccig-myron-p.in.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7		USPĀT	2003/03/27 17:24
1		"5933430"   "5937175"   "6101528"		
		"6160796").PN.	HODE	2002/02/27 17 25
-	8	(assign near3 (bus adj (ID	USPAT;	2003/03/27 17:25
		<pre>identification)))</pre>	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	(((IEEE near3 "1394") and (bridge hub	USPAT;	2003/03/27 17:25
_	2	switch fabric)) and (bus near3 (ID or	US-PGPUB;	
		identifier or identification))) and	EPO; JPO;	
		(assign near3 (bus adj (ID	DERWENT;	
		identification)))	IBM_TDB	
-	2545	determin\$3 with number with bus	USPAT;	2003/03/28 11:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/02/20 11:21
-	55		USPAT;	2003/03/28 11:21
		(IEEE adj "1394")	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	503	determin\$3 near3 number near3 bus	USPAT;	2003/03/28 11:24
-	503	decemming hears number hears bus	US-PGPUB;	, , , , , , , , , , , , , , , , ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(determin\$3 near3 number near3 bus) and	USPAT;	2003/03/28 11:24
		IEEE near3 "1304"	US-PGPUB;	
			EPO; JPO;	]
1			DERWENT;	
1			IBM_TDB	

Company   Comp					
DERMENT; ISM TOB	_	6	(determin\$3 near3 number near3 bus) and IEEE near3 "1394"		2003/03/28 11:26
- 0 number adj of adj buses					
US-RGUB, EPO, JPO, DERWENT; IBM TOB USPAT; USPAT					
EPO, JPO; DERMENT; IBM TOB USPAT; US-PGUB; EPO, JPO; DERMENT; IBM TOB USPAT; US-PGUB; EPO; JPO; DERMENT; IBM TOB USPAT; U	-	0	number adj of adj buses		2003/03/28 11:27
DERMENT; IBM TOB		•			
- 0 number adj3 of adj3 buses					
- 0 number adj3 of adj3 bus					
- 0 number adj3 of adj3 bus	-	0	number adj3 of adj3 buses	•	2003/03/28 11:27
- 0 number adj3 of adj3 bus   DERNENT;   IBM TDB   USPAT;   US-PGPUB;   EPO; JPO;   DERNENT;   IBM TDB   USPAT;					
TIME TOB					
US-PGPUB; EEO; JPO; DERWENT; IBM TOB USPAT; USP					
DEPO, JPO, DEPMENT; IEM TOB USPAT; US-PGPUB; EEO; JPO, DERWENN; IEM TOB USPAT; US-PGPUB; EEO; JPO, DERWEND; IEM TOB USPAT; US-PGPUB; EEO; JPO, DERWEND;	-	0	number adj3 of adj3 bus		2003/03/28 11:28
- 10778 number adj3 bus   DERWENT; IBM TDB USPĀT; US-PGFUB; EPG; JPG; DERWENT; IBM TDB USPĀT; US-PGFUB; EPG; J				1	
- 10778 number adj3 bus   IBM TDB   USPĀT; US-PGPUB; EPG; JPG; DERWENT; IBM TDB   USPĀT; US-PGPUB; EPG; JPG; DERWE					
US-PGPUB, EPO, JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO, JPO; DERWENT; EPO, J					
- 9915 (number adj3 bus) and IEEE "1394"  - 1310 determin\$3 same (number adj3 bus)  - 131 (determin\$3 same (number adj3 bus)) and USPAT;  USPGUB;  EPO; JPO;  DERWENT;  IBM TDB  USPAT;  USPGUB;  EPO; JPO;  DERWENT;	-	10778	number adj3 bus		2003/03/28 11:28
DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
- 9915 (number adj3 bus) and IEEE "1394"  - 1310 determin\$3 same (number adj3 bus)  - 31 (determin\$3 same (number adj3 bus)) and IEEE adj "1394"  - 31 (determin\$3 same (number adj3 bus)) and IEEE adj "1394"  - 31 (discard near3 information) with disconnect)  - 0 ((discard near3 information) with disconnect)) and IEEE adj "1394"  - 1 ((discard near3 information) with disconnect)) and IEEE adj "1394"  - 1 ((discard near3 information) and disconnect)) and (IEEE adj "1394")  - 1 ((discard near3 information) and disconnect)) and (IEEE adj "1394")  - 1 ((discard near3 information) and disconnect)) and (IEEE adj "1394")  - 2 (1 (discard near3 information) and disconnect)) and (IEEE adj "1394")  - 3 (Information DCM) and disconnect)) and (IEEE adj "1394")  - 3 (Information DCM) and disconnect)) and (IEEE adj "1394")  - 3 (Information DCM) and bridge  - 4 (IEEE adj "1394") and bridge  - 5 (IEEE adj "1394") and bridge					
- 9915 (number adj3 bus) and IEEE "1394" USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO					
- 1310 determin\$3 same (number adj3 bus)  - 1310 determin\$3 same (number adj3 bus)  - 31 (determin\$3 same (number adj3 bus)) and  - 31 (determin\$3 same (number adj3 bus)) and  IEEE adj "1394"  - 5 ((discard near3 information) with disconnect)  - 0 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 10 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 11 (((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 12 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 13 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 12 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 13 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 12 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 13 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 13 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 13 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 14 (((discard delete remove) near3 (information) and (IEEE adj "1394")  - 15 (((discard delete remove) near3 (information) and (IEEE adj "1394")  - 16 (((discard delete remove) near3 (information) and (IEEE adj "1394")  - 17 (((discard delete remove) near3 (information) and (IEEE adj "1394")  - 17 (((discard delete remove) near3 (information)	-	9915	(number adj3 bus) and IEEE "1394"	USPĀT;	2003/03/28 11:28
DERMENT;   IBM TDB   USPAT;		1		1	
- 1310 determin\$3 same (number adj3 bus)  - 31 (determin\$3 same (number adj3 bus)) and (SERWENT; IBM TDB (SPAT; US-PGPUB; EPO; JPO; DERWENT); IBM TDB (SPAT;					
- 1310 determin\$3 same (number adj3 bus)  - 31 (determin\$3 same (number adj3 bus)) and (DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO				I	
- 31 (determin\$3 same (number adj3 bus)) and IEEE adj "1394" USPAT; IEM_TDB USPAT	_	1310	determin\$3 same (number adj3 bus)		2003/03/28 11:30
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAPB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPAPB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAPBUB; EPO; JPO; DERWENT; EPO;				-	
Signature   Sign				l .	
- 31 (determin\$3 same (number adj3 bus)) and IEEE adj "1394" USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT					
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;	-	31	(determin\$3 same (number adj3 bus)) and		2003/03/28 13:10
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;			IEEE adj "1394"	1	
- 5 ((discard near3 information) with disconnect)  - 0 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 0 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 1 1 (((discard near3 information) and disconnect) and (IEEE adj "1394")  - 1 1 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  - 734 (IEEE adj "1394") and bridge    1					
- ((discard near3 information) with disconnect)  - 0 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 0 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  - 734 (IEEE adj "1394") and bridge  - 734 (IEEE adj "1394") and bridge  - 735 (IEEE adj "1394") and bridge  - 736 (IEEE adj "1394") and bridge  - 737 (IEEE adj "1394") and bridge  - 738 (IEEE adj "1394") and bridge					
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;	-	5	((discard near3 information) with	· -	2003/03/28 13:11
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			disconnect)		
- 0 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  - 734 (IEEE adj "1394") and bridge    1					
- 0 (((discard near3 information) with disconnect)) and IEEE adj "1394"  - 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  - 735 (IEEE adj "1394") and bridge  - 736 (IEEE adj "1394") and bridge  - 737 (IEEE adj "1394") and bridge					
Comparison	-	0		USPĀT;	2003/03/28 13:11
- 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  - 734 (IEEE adj "1394") and bridge  DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			disconnect)) and IEEE adj "1394"		
- 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  - 734 (IEEE adj "1394") and bridge    1					
- 4 ((discard near3 information) and disconnect) and (IEEE adj "1394")  - 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge				· -	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	4		USPĀT;	2003/03/28 13:12
DERWENT; IBM_TDB USPAT; (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			disconnect) and (IEEE adj "1394")		
- 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge    TDB				l .	
- 11 (((discard delete remove) near3 (information DCM) and disconnect)) and (IEEE adj "1394")  - 1 6466549.pn. and bridge  - 734 (IEEE adj "1394") and bridge  - 734 (IEEE adj "1394") and bridge  USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT;				IBM_TDB	
(IEEE adj "1394")  - 1 6466549.pn. and bridge  - 2003/03/28 14:22 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	11		USPĀT;	2003/03/28 14:17
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 1 6466549.pn. and bridge USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			(TEEE GG] "1394")		
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
EPO; JPO; DERWENT; IBM_TDB  - 734 (IEEE adj "1394") and bridge USPAT; US-PGPUB; EPO; JPO; DERWENT;	-	1	6466549.pn. and bridge		2003/03/28 14:22
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 734 (IEEE adj "1394") and bridge USPAT; 2003/03/28 14:24 US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT;				IBM_TDB	
EPO; JPO; DERWENT;	-	734	(IEEE adj "1394") and bridge		2003/03/28 14:24
DERWENT;					

			Trionam	1 2002 (02 (00 14 04)
-	706	((IEEE adj "1394") and bridge ) and bus	USPAT;	2003/03/28 14:24
Ì			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	ĺ
			IBM_TDB	
-	84	((IEEE adj "1394") and bridge ) and (bus	USPAT;	2003/03/28 14:25
		near3 (ID identification))	US-PGPUB;	
			EPO; JPO;	ŀ
			DERWENT;	
			IBM_TDB	
-	9	("5193149"   "5309432"   "5315592"	USPAT	2003/03/28 14:42
		"5432907"   "5519858"   "5923673"		
		"5978854"   "5983269"   "6131119").PN.		
-	0	((IEEE adj "1394") and (reset near3	USPAT;	2003/03/31 09:38
		count\$3)) and @ad<09281999	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	106	(IEEE adj "1394") and (reset near3	USPAT;	2003/03/31 09:39
		count\$3)	US-PGPUB;	
			EPO; JPO;	ļ .
	Ì		DERWENT;	ļ.
			IBM TDB	
_	47	((IEEE adj "1394") and (reset near3	USPAT;	2003/03/31 09:38
		count\$3)) and @ad<=19990928	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	147	(IEEE adj "1394") and ((reset initializ\$5)	USPĀT;	2003/03/31 09:40
		near3 count\$3)	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
i			IBM TDB	
_	61	((IEEE adj "1394") and ((reset	USPAT;	2003/03/31 09:40
	"	initializ\$5) near3 count\$3)) and	US-PGPUB;	
		@ad<19990928	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1		1 2001 100	L